

EC Declaration of conformity

Name and address of the producer:

ODE YALITIM SANAYI VE TICARET A.S.
PIYALEPASA BULVARI ORTADOGU PLAZA
KAT:12 OKMEYDAN
SISLI – ISTANBUL, TURKEY

Name and address of the distributor:

Isoline Ltd.
141 Carigradsko shoussee Blvd. – 7-th km.
1784 Sofia, Bulgaria

Description of the product:

Extruded polystyrene rigid foam boards, thickness form 25 mm to 100 mm, trade mark “ODE ISIPAN” - thermal insulation

The product is corresponding to:

The product XPS – ODE ISIPAN is manufactured under the regulations of directive 89/106/EEC, in accordance with BDS EN 13164

Institutions and Notification Bodies:

XPS ODE ISIPAN initial type testing and recreation to fire test, were made in the following laboratories:

Research Institute of Building Materials Ltd.
1528 Sofia, 1 Ilia Beshkov str.
Accreditation Body Number:: CPD 05 – NB 1950 / 17.09.2007
Test Report Number N: PIT – EC – 237-1 / 28.04.2009

TSE DENAY LABORATUVARI MERKEZI BASKANLIGI
Adres: Taris Pamuk Depolari Arkasi, Cigli, IZMIR – TURKEY
Accreditation Body Number: AB – 0015 – T
Test Report Number: 15311-2 /04.04.2008

CE Mark established: 2009

Name and position of the responsible person:

Emil Krumov Malev – Managing Director





1784 Sofia
141 Carigradsko shouse Blr. , 7 km.
tel. +359 2 971 8518 / 974 42 94 , fax +359 2 971 8519
www.isoline.bg , office@isoline.bg

Future of insulation

Code of signifying the product XPS - ODE ISIPAN - Extruded polystyrene

Type	Thickness	Thermal Conductivity Coefficient λ W/mK	Recreation to fire - Class	Code	Application
ISIPAN DT, BD	25-100 mm	0,031	E	XPS - BDS EN 13164 - T3 - CS(10/Y)400 - WL(T)1,5 - TR400 - MU100	Facade, roof, floor

